

[illegible]

Comparison of cited reference and CIP Amended Claim 1 and Additional Claim 24																													
Si-B	38.00	38.15	30.70	34.80	43.25	33.05	38.50	38.80	37.25	38.20	33.05	38.50	36.20	37.60	37.50	36.75	36.35	39.75	36.70	37.60	38.25	38.10	39.10	37.56	40.05	33.75	35.05	38.35	
Si	34.80	18.60	21.60	24.00	25.55	22.80	21.60	29.50	25.80	25.80	25.00	26.00	26.15	25.40	28.60	28.25	25.50	28.00	24.00	26.45	15.45	18.80	26.30	21.10	23.65	24.00			
1-L=24-Zn 0-L=24-Zn	37.08	28.80	27.85	28.95	23.30	28.35	28.95	29.10	30.05	26.55	27.50	22.80	24.95	22.20	33.45	22.50	27.75	34.00	32.60	27.15	20.95	29.00	25.05	28.05	24.45	32.70			
Y	7.80	8.15	9.00	8.70	8.90	7.80	7.95	6.35	8.05	7.95	7.50	10.20	7.60	7.15	7.90	8.70	3.95	9.75	10.55	12.90	11.10	7.92	5.10	7.75	6.30	9.00			
Zr	5.70	6.30	5.55	6.00	6.90	6.00	6.15	2.90	7.00	6.10	5.80	6.00	5.90	5.80	4.40	3.70	7.60	6.00	0.00	6.15	3.10	6.56	6.25	8.00	6.05	1.65			
Mg-Ca-S +Ba+Zn	15.65	23.95	24.30	24.15	24.30	24.45	24.50	23.40	23.35	25.85	27.60	33.70	27.15	22.45	19.05	18.80	23.60	19.45	19.20	23.30	21.35	24.89	32.40	22.85	31.45	19.20			
Na	0.70	3.15	0.00	12.10	0.00	3.00	2.30	2.90	3.10	3.10	2.90	3.00	5.90	3.00	4.45	3.00	3.00	3.00	4.50	3.10	3.15	3.07	0.00	3.00	3.00	4.50			
Al	0.00	0.00	0.00	0.00	0.00	5.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		
Pb	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
L20	2.07	1.15	0.00	0.00	9.15	1.45	1.10	1.40	1.50	1.50	1.40	2.50	0.00	1.40	0.00	1.45	1.45	1.45	0.70	0.75	1.50	2.22	2.30	1.45	1.45	0.70			
MgO	3.75	6.20	5.45	5.85	5.00	5.95	6.50	0.00	14.25	0.50	5.70	5.90	3.85	5.80	3.85	3.90	5.95	4.40	2.90	6.00	7.15	6.99	6.15	5.90	6.95	2.90			

Comparison of cited reference and CIP Amended Claim 7 and Additional Claim 1																										
	38 00	38 15	30 70	34 80	43 25	33 05	38 50	38 80	37 25	38 30	38 70	37 60	37 50	36 75	36 35	39 75	36 70	37 60	38 35	38 70	39 10	37 56	40 05	33 75	35 05	38 35

[illegible]

Comparison of cited reference and GIP Amended GIM-17																									
38.00	38.15	30.70	34.80	43.25	33.05	38.50	38.80	37.25	38.30	36.20	37.60	37.50	36.75	36.25	39.75	36.70	37.60	38.35	38.70	39.10	37.56	40.05	33.75	35.05	38.30

[illegible]

38.00	38.15	38.70	38.80	43.25	33.05	38.50	38.80	37.25	38.30	36.20	37.80	37.50	36.75	36.35	39.75	36.70	37.60	38.35	38.70	39.10	37.56	40.05	33.75	35.05	38.3
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	------

[illegible]